MESSRS.

SPECIFICATION FOR APPROVAL

承認

Product	MAGNETIC BUZZER	
Part No.	AS-1201C-P3	(RoHS)
Approved By	Checked By	Made By
工程部 BOB CHEN OCT-28-2008 Customer Approval Result	工程部 TOM CHAN OCT-28-2008	工程部 LEMON LEE OCT-28-2008



Advanced Acoustic Technology Corporation

苙 翔 科 技 // 常州笠翔电子有限公司



Head Office / 2F, No.207, Sec. 6, Chung Shan N. Rd., Taipei, Taiwan

Tel: +886-2-8866-5255 Fax: +886-2-8866-5250

大陸總公司 / 中國江蘇省常州市新北區龍虎塘工業園新苑四路 89 號

Tel: +86-519-8511-1583 Fax: +86-519-8510-0908 ISO 14001 Certified

QS9000 Certified

http://www.aatc.tw

EDITION:1.2

1. Specifications

AS-1201C-P3 (RoHS)

	Items	Units	Specifications	Conditions
01	Rated Voltage	Vo-p	1.5	Vo-p 0V
02	Operating Voltage	Vo-p	1~3	
03 Comsumption Current	mA	Mean 12	Applying rated voltage, rated frequency	
	Cornsumption Current	(Max)	Peak 36	Square wave,1/2 duty subject to standard state.
04	Direct Current Resistance	Ohm	50±7.5	
05	Sound Output	dBA (min)	85	Distance at 10cm, applying rated voltage, rated frequency square wave, 1/2duty subject to standard state.
06	Rated Frequency	Hz	2048	
07	Operating Temp.	$^{\circ}\!\mathbb{C}$	-20 ~ +70	
08	Storage Temp.	$^{\circ}\!\mathbb{C}$	-30 ~ +80	
09	Weight	Gram	1.0	

2. Measuring Method 2-1. Test Condition

2-1. 163t Goliu

STANDARD

Temperature : $15 \sim 35^{\circ}$ C

Relative humidity: 25% ~ 85%,

Atmospheric pressure: 860mbar to 1060mbar.


JUDGEMENT

Temperature : $20\pm3^{\circ}$ C


Relative humidity: 60% ~ 70%,

Atmospheric pressure: 860mbar to 1060mbar


2-2. Standard Drive Circuit:




2-3. Standard Test Fixture





2-4. Frequency Response Curve



Mode: SSR







TITLE:	SOUND TRANSDU	CER	DRAWN:	Kitty	2007/11/09	SCALE: 3:1	SHEET: 1	of 1
			DESIGNED:	R&D OF	ллі	011110.	mm	
PART NO.	AS-1201C-P3	1	CHECKED:			TOLERANCE UNLESS OTHI		CIFIFD:
DWG NO.	D		APPROVAL:			ONE PLACE	$DECIMAL \pm$	***
D 11 0 11 0.	DTE-1235	REV	MATERIAL:	NORYL		TWO PLACE THREE PLACE	DECIMAL ± CE DECIMAL	



ADVANCED ACOUSTIC TECHNOLOGY CORPORATION

4. RELIABILITY TEST

	Item	Test conditions	Evaluation standard
01	High temp.Storage life	The part shall be capable of withstanding a storage Temperature of 95°C for 96 hours.	
02	Low temp.Storage life	The part shall be capable of withstanding a storage Temperature of -50°C for 96 hours.	
03	Temp. cycle	The part shall be subjected 10 cycles. One cycle shall consist of; -40°C 85°C 30min 60min	After the test the part shall meet specifications without Any degradation in appearance
04	Temp./Humidity cycle	The part shall be subjected 10 cycles. One cycle shall be 12 hours and consist of; 90 ~ 95 % RH 25°C 0.5hr 6hrs 0.5hr 5hrs	and performance except S.P.L S.P.L shall be 77dB or more.
05	Operating life	 Rated Voltage,Frequency applied. 1. Ordinary temperature The part shall be subjected to 1000 hours at room tremperature (25 ±10°C) 1. High temperature The part shall be subjected to 500 hours at 85°C 2. Low temperature The part shall be subjected to 500 hours at -40°C 	
06	Lead Strength	Pull load on the direction of the lead axis for 10 ±1 sec.	
07	Vibration	The part shall be subjected to a vibration cycle of 10Hz to 55Hz to 10Hz in a period of 1 minute. Total peak amplitude shall be 1.52mm (9.3G). The vibration test shall consist of 2 hours per plane in each three mutually perpendicular planes for a total time of 6 hours.	

	Item	Test conditions	Evaluation standard	
08	Fixed drop	The part shall be mounted on standard pc board and dropped from a height of 152cm onto a concrete floor 5 times in each 6 planes.(a total of 30 times)	After the test the part shall	
09	Free drop	The part only shall be dropped from a height of 75cm onto a 40mm thick wooden board 3 times in 3 axes (X.Y.Z). (a total of 9 times).	meet specifications without Any degradation in appearance and performance except S.P.L S.P.L shall be 77dB or more.	
10	Solder heat resistance	Soldering into solderbath : 350±5°ℂ Soaking time : 3.5±0.5 sec		
11	Solder ability	Soldering: 250±5°C / 5 Sec. 350±5°C / 1.5 Sec Soldering t into solderbath: 250±5°C Soaking time: 2±0.5 sec		
12	Pull lead with a force of 10N,on the direction of the lead axis for 10 :10±1 sec			
13	Washability	Solvent : deionized water Solvent temp. : 55±5°C Soaking time : 5±0.5 min.		