


MFM TYPE



Coating color: Blue.

塗裝色：藍色

Dimensions:

Type	Size	Dimensions (mm)			
		L	D	C	S
MFM	0102	2±0.1	1.3±0.1	0.55±0.1	0.1±0.05
	0204	3.5±0.2	1.45±0.1	0.7±0.1	0.15±0.1
	0207	5.7±0.2	2.2±0.1	0.8±0.2	0.2±0.1
	0309	8.5±0.3	3±0.3	1.7±0.2	0.3±0.1
	0411	10.5±0.3	4±0.3	2.3±0.2	0.3±0.1
	0515	14.5±0.3	4.5±0.3	2.3±0.2	0.3±0.1

Range:

Type	Size	POWER RATING	MAX. WORKING VOLTAGE	MAX. OVERLOAD VOLTAGE	T.C.R.	RESISTANCE RANGE			
						±0.1%	±0.25%	±0.5%	±1%
MFM	0102	1/8Ws	150V	300V	±15ppm ±25ppm ±50ppm ±100ppm	50 <sub>0</sub> - 56K	50 <sub>0</sub> - 100K	1 <sub>0</sub> - 1M	0 <sub>0</sub> 22 - 2M
		1/8W	150V	300V		100 <sub>0</sub> - 56K	100 <sub>0</sub> - 100K	1 <sub>0</sub> - 1M	0 <sub>0</sub> 22 - 2M
	0204	1/4Ws	200V	400V		100 <sub>0</sub> - 56K	100 <sub>0</sub> - 100K	1 <sub>0</sub> - 1M	0 <sub>0</sub> 5 - 2M
		1/4W	200V	400V		100 <sub>0</sub> - 100K	10 <sub>0</sub> - 560K	1 <sub>0</sub> - 5M	0 <sub>0</sub> 22 - 5M
		1/2Ws	300V	600V		100 <sub>0</sub> - 100K	10 <sub>0</sub> - 560K	1 <sub>0</sub> - 5M	0 <sub>0</sub> 22 - 5M
	0207	1Wss	400V	700V		100 <sub>0</sub> - 100K	10 <sub>0</sub> - 560K	1 <sub>0</sub> - 5M	0 <sub>0</sub> 5 - 5M
		0309	1Ws	500V		1000V	-----	10 <sub>0</sub> - 100K	1 <sub>0</sub> - 1M
	0411	2Ws	-----				10 <sub>0</sub> - 100K	1 <sub>0</sub> - 1M	0.1 <sub>0</sub> - 1M
	0515	3Ws	-----				10 <sub>0</sub> - 100K	1 <sub>0</sub> - 1M	0.1 <sub>0</sub> - 1M
			-----				10 <sub>0</sub> - 100K	1 <sub>0</sub> - 1M	0.1 <sub>0</sub> - 1M

額定電壓是以  $\sqrt{\text{功率(W)} \times \text{阻值}(\Omega)}$  計算所得的值及以規格表中所列最高使用電壓兩者相較小者。

Rated-Voltage =  $\sqrt{P(W) \times R(\Omega)}$  or Max. working voltage, whichever lower.