

MULTITEC

Model No. THK-100 **Description**: 9 Pcs. T-Handle Hex Key Set.

₹ 726/- per set

Features: • CVM Alloy Steel. • 1.5-(9 Pcs. Set) • 1/16"-3/8" (9 10 mm Pcs. Set) • Faced & chamfered, Wide Cellulose Acetate Plastic Handle helps in better leaverage, Long length helps to reach difficult places.




Description: T-Handle Hex Keys Loose

| Mod | Model No. | | Price/ | |
|--------|-----------|---------|----------|--|
| MM | INCH | per Box | piece | |
| THI15 | THI 116 | 25 | ₹ 44.00 | |
| THI 2 | THI 564 | 25 | ₹ 51.00 | |
| THI 25 | THI 332 | 25 | ₹ 59.50 | |
| THI 3 | THI 18 | 25 | ₹ 66.00 | |
| THI 4 | THI 532 | 25 | ₹ 73.00 | |
| THI 5 | THI 316 | 25 | ₹ 86.00 | |
| THI 6 | THI 732 | 10 | ₹ 99.00 | |
| THI 8 | THI 516 | 10 | ₹ 123.00 | |
| THI 10 | THI 38 | 10 | ₹ 180.50 | |
| | THI 14 | 10 | ₹ 108.00 | |

Power Bits

Philip Drive Bits



Features: • P1, P2, & P3 • CVM Alloy Steel. 58 - 60 HRC in 50, 75, 100, 150, 200, 250 mm Length • Configuration : Double & Single Ended • Shank Size: 6.35 mm A/F

Torx Drive Bits

| Lenght(mm,.) | 50 | 75 | 100 | 150 |
|--------------|--------|--------|--------|---------|
| Price/Piece | ₹54.00 | ₹68.00 | ₹80.00 | ₹104.00 |

Features: • T-5 to T-40 • CVM Alloy Steel, 58 - 60 HRC in 50, 75, 100, 150 mm Length • Configuration : Single Ended • Shank Size : 6.35 mm A/F

Slotted Drive Bits

| Lenght(mm.) | 50 | 75 | 100 | 150 |
|-------------|--------|--------|--------|---------|
| Price/Piece | ₹54.00 | ₹68.00 | ₹80.00 | ₹104.00 |

Features: • S3 To S7 • CVM Alloy Steel, 58 - 60 HRC in 50, 75, 100, 150mm Length Configuration : Single Ended
 Shank Size : 6.35 mm A/F

Allen Drive Bits

| Lenght(mm.) | 50 🔉 | 75 | 100 | 150 |
|-------------|--------|--------|--------|---------|
| Price/Piece | ₹54.00 | ₹68.00 | ₹80.00 | ₹104.00 |

Features: • A-15 to A6 & BA-4, BA-5, BA-6 CVM Alloy Steel, 58 - 60 HRC in 50, 75, 100, 150 mm Length • Configuration : Single Ended • Shank Size: 6.35 mm A/F

Insert Bits - 25.4mm



Features: • PO25S to P325S, T525S to T4025S. A1525S to A625S S3525S to S725S . CVM Alloy Steel, 58 - 60 HRC Length . Configuration: Single Ended • Shank Size: 6.35 mm A/F

Magnetic Bit Holder

Model No. SDK-777 i



| Model No. | lodel No. MBH75 | | MBH150 | |
|--------------|-----------------|----------|----------|--|
| Price/ Piece | ₹ 110.00 | ₹ 127.00 | ₹ 165.00 | |

Features: • MBH-75, MBH-100 & MBH-150 • CVM Alloy Steel, 58 - 60 HRC in 75mm, 100mm, 150mm Length • In stainless steel nozzle with rare earth magnet.

Description: Insulated 7 Bits

Screw Driver Set with Tester

Screw Driver Kits

Model No. SDK-900 **Description:** Tester cum Screw **Driver Kit with Extension Rod**



Features: • CVM Alloy Steel • Bigger Size Acetate Handle for better grip, Seven different types bits viz. PH0, PH1,PH2, (-3),(5), (-6), POKER with Extention Rod, Tester with detection ranging 80V-500V.

₹ 182/- per set

Features: • 7 Screw Driver Bits; each covered with high grade electrical insulation plastic. • Most commonly used screw driver head shapes Viz: PH-0, PH-1, PH-2, Minus-3, Minus-5, Minus-6 and Poker.

Model No. SDK-700 **Description:** Tester cum Screw Driver Kit



Features: • CVM Alloy Steel • Seven different types bits viz. Ph0, Ph1, Ph2, (-3), (5), (-6) POKER, Tester with detection ranging 80V-500V.



MULTITEC

Screw Driver with Insert Bits

Model No. SD-204

Description: Screw Driver with,







Spare Handle with stainless steel nozzle with magnet

Features: • CVM Alloy Steel, 58-60 HRC · Handle with stainless steel nozzle with magnet, PVC Jacket for better grip.

Model No. SD-200 **Description:** Screw Driver with

11 Bits





Spare Handle with stainless steel nozzle with magnet.

Features: • CVM Alloy Steel, 58-60 HRC · Handle with stainless steel nozzle with magnet, PVC Jacket for better grip.

Model No. SD-211

Description: Screw Driver with

11 Bits







Features: • CVM Alloy Steel, 58-60 HRC · Handle with stainless steel nozzle with magnet, PVC Jacket for better grip.

Model No. SD-218 **Description:** Screw Driver with 18 Bits

₹ 315/- per set



Features: • CVM Alloy Steel, 58-60 HRC

· Acetate Handle with 17 interchangeable bits.

· S.S. Nozzle with Magnet.

Range of Screw Driver with Fixed Handle

CHISEL HEAD/MINUS HEAD SCREW DRIVERS:





PHILLIP HEAD SCREW DRIVERS:

1.2 mm

1.5 mm

1.5 mm

8 mm Hex

10 mm Hex

10 mm Hex

8 mm

10 mm

10 mm



S8300

S10250

S10400



L=102mm; W=30mm

L=126mm; W=32mm

L=126mm; W=32mm

300 mm

250 mm

400 mm

163.00

253.00

304.00

| | 4 10 | | | | |
|--------------|--------------|---------------|----------------------|----------------------------|------------|
| Model No. | Tip Width | Shank Size | Handle Dimensions | Projected Length of Bit | MRP (₹) |
| PD075 | PH-0 | 3 mm Hex | L=75mm; W=16mm | 75 mm | 42.00 |
| PD0100 | PH-0 | 3 mm Hex | L=75mm; W=16mm | 100 mm | 46.50 |
| P075 | PH-0 | 3 mm Hex | L=75mm; W=16mm | 75 mm | 42.00 |
| P0100 | PH-0 | 3 mm Hex | L=75mm; W=16mm | 100 mm | 46.50 |
| P0150 | PH-0 | 3 mm Hex | L=75mm; W=16mm | 150 mm | 53.00 |
| P1100 | PH-1 | 5 mm Hex | L=95mm; W=22mm | 100 mm | 70.50 |
| P1150 | PH-1 | 5 mm Hex | L=95mm; W=22mm | 150 mm | 75.00 |
| P1200 | PH-1 | 5 mm Hex | L=95mm; W=22mm | 200 mm | 81.50 |
| P2100 | PH-2 | 6 mm Hex | L=95mm; W=25mm | 100 mm | 86.00 |
| P2150 | PH-2 | 6 mm Hex | L=95mm; W=25mm | 150 mm | 90.50 |
| P2200 | PH-2 | 6 mm Hex | L=95mm; W=25mm | 200 mm | 97.00 |
| P2250 | PH-2 | 6 mm Hex | L=95mm; W=25mm | 250 mm | 101.50 |
| P2300 | PH-2 | 6 mm Hex | L=95mm; W=25mm | 300 mm | 106.00 |
| P3150 | PH-3 | 8 mm Hex | L=102mm; W=30mm | 150 mm | 132.00 |
| P3200 | PH-3 | 8 mm Hex | L=102mm; W=30mm | 200 mm | 141.00 |
| P3250 | PH-3 | 8 mm Hex | L=102mm; W=30mm | 250 mm | 152.00 |
| P3300 | PH-3 | 8 mm Hex | L=102mm; W=30mm | 300 mm | 163.00 |
| P4250 | PH-4 | 10 mm Hex | L=126mm; W=32mm | 250 mm | 253.00 |
| P4300 | PH-4 | 10 mm Hex | L=126mm; W=32mm | 300 mm | 286.00 |



MULTITEC An ISO 9001: 2008 Company

Price List/Catalogue 2013-14

Effective from 10th October, 2013

High Quality Hand and Fastening Tools

Allen Key

Model No. HSLK-100

Description: 9 Pcs. Hex Short*

Allen Key set with Plastic



Features: • CVM Alloy Steel • 1.5-10 mm (9 Pcs. Set) • 1/16"-3/8" (9 Pcs. Set)

Description : Hex Short Allen Key Loose



| Mode | el No. | Qty | Price/ |
|-------|--------|---------|---------|
| MM | INCH | per Box | piece |
| SS 15 | SS 116 | 100 | ₹ 9.00 |
| SS 2 | SS 564 | 100 | ₹ 9.00 |
| SS 25 | SS 332 | 100 | ₹ 9.00 |
| SS 3 | SS 18 | 100 | ₹ 10.00 |
| SS 4 | SS 532 | 100 | ₹ 15.50 |
| SS 5 | SS 316 | 100 | ₹ 18.25 |
| SS 6 | SS 732 | 50 | ₹ 23.00 |
| SS 8 | SS 516 | 50 | ₹ 43.50 |
| SS 10 | SS 38 | 50 | ₹ 70.50 |
| | SS 14 | 50 | ₹ 25.30 |

Model No. HBLK-100

Description: 9 Pcs. Long Ball
Ended Allen Key set with
Plastic Holder.



Features: • CVM Alloy Steel • 1.5-10 mm (9 Pcs. Set) • 1/16"-3/8" (9 Pcs. Set) • Faced &chamfered, Operate in tilted upto an angle of 30 degree.


Description : Long Ball Ended Allen Key Loose



| Model No. | | Qty | Price/ |
|-----------|--------|---------|----------|
| MM | INCH | per Box | piece |
| LB 15 | Lb 116 | 100 | ₹ 26.50 |
| LB 2 | Lb 564 | 100 | ₹ 29.70 |
| L3 25 | Lb 332 | 100 | ₹ 40.00 |
| LB3 | Lb 18 | 100 | ₹ 47.50 |
| LB 4 | Lb 532 | 100 | ₹ 56.00 |
| LB 5 | Lb 316 | 100 | ₹ 61.00 |
| LB 6 | Lb 732 | 50 | ₹ 77.00 |
| LB 8 | Lb 516 | 50 | ₹ 108.00 |
| LB 10 | Lb 38 | 50 | ₹ 132.00 |

Model No. HBLK-200

Description: 9 Pcs. Extra Long
Ball Ended Allen Key set with
Plastic Holder.



Features: • CVM Alloy Steel, 58-60 HRC
• 1.5-10 mm (9 Pcs. Set) • 1/16"-3/8" (9 Pcs. Set)
• Faced & chamfered. Operate in tilted upto an

• Faced & chamfered, Operate in tilted upto an angle of 30 degree,

Description : Extra Long Ended Allen Key Loose



Model No. TXL-100

Description: 10 Pcs.

Torx Allen Key Set.



Size Include : T 5, T 10, T 15, T 20, T 27, T 30, T 40, T 45, T 50.

Features: • CVM Alloy Steel • T-5 - T-50 (10 Pcs. Set) • Made of CVM steel. The various sizes includes T-5 to T-50. Useful for Automobiles and imported machines and equipments.

Description : Torx Allen Key Loose.



| 1101 | | | |
|--------|---------|---------|----------|
| Mode | el No. | Qty | Price/ |
| Code | Hex A/F | per Box | piece |
| TXL 5 | 3 | 50 | ₹ 33.00 |
| TXL 6 | 3 | 50 | ₹ 33.00 |
| TXL 7 | 3 | 50 | ₹ 33.00 |
| TXL 8 | 3 * | 50 | ₹ 35.50 |
| TXL 9 | 3 | 50 | ₹ 35.50 |
| TXL 10 | 3 | 50 | ₹ 37.50 |
| TXL 15 | 4 | 20 | ₹ 42.00 |
| TXL 20 | 4 | 20 | ₹ 42.00 |
| TXL 25 | 5 | 20 | ₹ 51.00 |
| TXL 27 | 5 | 20 | ₹ 55.00 |
| TXL 30 | 6 | 20 | ₹ 66.00 |
| TXL 40 | 6 | 20 | ₹ 81.50 |
| TXL 45 | 8 | 20 | ₹ 97.00 |
| TXL 50 | 10 | 20 | ₹ 110.00 |

AN ISO 9001: 2008 COMPANY

Price List/Catalogue 2013-2014

Valid from: 10th October, 2013

HIGH QUALITY HAND TOOLS

WIRE STRIPPER & CUTTERS



Rs.364.00

Model No.: 02 DX

Modified version with better working & design.

- A unique tool to strip & cut insulation on copper wire ranging from 0.5mm to 2.5mm or 6mm diameter.
- Suitable for electronics, aviation automobile & day to day maintenance.
- 1. Compact multiguage wire stripper with comfortable vinyl grips. 2. Screw or dial adjustable to preset wire size. 3. Medium carbon alloy steel material with induction hardened & tempered edges



Model No.: 150 B

Rs.62.00

Wire Stripper & Cutter with Screw Gauge adjuster.



Model No.: 68 C

Wire Stripper & Cutter with Spring and Screw Gauge adjuster with PVC cushioned grips.



Model No.: MT-501

Rs.200.00

A unique Heavy Duty wire stripper and Cutter suitable to strip and cut heavy electrical and cable wires from 2.1 swg to 6 swg. Made from High Grade Alloy Steel Duly Induction Hardened for long tool life.



Model No.: 150 DX

Wire Stripper & Cutter with spring and Cam Gauge setter.



Model No.: MT-101

A unique medium duty wire stripper & cutter suitable for stripping & cutting copper and aluminium wires. This unique tool has a long wire cutter and can cut duty wires upto 3mm in dia with ease. Heavy duty cushion sleeves gives comfort during long and continuous working. Cutting edges duly polished and grounded for smooth cutting and stripping of




Model No.: WS 45

Wire Stripper & Cutter with spring.

· Precision cutting Pliers suitable for working on

PCB's and for general purpose use. • Made out of high carbon alloy steel with electronically hardened & tempered cutting edges to give extra long life. • Hardened Center rivet. Black oxide finish



FREE POLY - STYRENE HANDLE GRIPS. 2. IMPROVED BIGGER HANDLES FOR HIGH HAND GRIP. 3. A versatile tool for cutting Copper & Aluminium Conductors from 0.8mm to 1.2mmø. 4. Made out of High Grade Allov Steel with Black

Oxide Finish and Electronically Heat Treated.



Microshear Cut wires from 0.8mm to 1.4mm

NIPPERS & MICRO SHEARS



Model No.: 010

Micro Cutter 125 mm. Cut wires from 0.8 to 1.2mm.



Model No.: Oll

Palm Nipper, A unique Palm Nipper/ Cutter made out of high grade alloy steel with cutting edges duly grounded and induction heat treated on ultra high frequency to give high wear registance to the edges. Suitable for cutting soft copper/aluminium wires upto 1.5mm and best tool for Jewellers.



Model No.: 012

Heavy Duty Diagonal Nipper with Cushioned grips. For cutting Copper & Aluminum conductors up to 2.0 dia. High Carbon Alloy Steel, Edges Induction Hardened for longer life. Suitable for Electronics, Telecommunications, Computers & PCB production.



Long Neck Nipper Cutter

Long Neck Nipper Cutter is designed to neatly cut PCB components in difficult to reach deep positions on the PCB Board. Its Long Neck can reach deep inside the PCB & can cut Copper & Aluminium wires upto 1.2mm in diameter.

MULTITEG N ISO 9001 : 2008 COMPANY

Price List/Catalogue 2013-2014



Model No.: CC-100

Rs.190.00

Cable Cutter with lock for 12 mm cable.



Model No.: CC-200-18

Cable Cutter with lock for 18 mm cable



Model No.: CC-200

Cable Cutter with lock for 10 mm cable.



Model No.: CC-300

•For cutting Copper/Aluminium conductor single wire upto 24mm². • Easy cutting with one hand operation due to high transmission ratio. • Material: special high grade alloy steel. • Induction hardened and tempered.

ELECTRONICS NOSE PLIERS

Precision Plier suitable for working on PCB's or holding & bending electronic components. Long Nose Plier helps in places hard to reach. Made out of medium carbon alloy steel, hardened & tempered to give better life. Black oxide finish with hardened center rivet & good for small jobs.



Model No.: 03
Long Nose Plier with/without Teeth



PLIERS & NOSE PLIERS



Model No.: MT-555

Combination Plier-8" (Chrome Vanadium)



Model No.: MT-545

Combination Plier-6" (Chrome Vanadium)

1. High Grade Chrome Vanadium Steel Duly Induction Hardened for "MORE" working life of the tool. 2. Heavy Duty CA-FR Handle Sleeves with "Anti Slip" and "High Hand Grip" feature to prevent the plier from slipping. 3. A newly designed color on the Top of Handle to prevent from Electrical Shock. 4. Can cut heavy duty Electrical wires. 5. The Pliers are tested and can withstand current upto 2800 volts A.C.



Model No.: MT-535

Long Nose Plier (with thick insulation)

Multitec Long Nose Pliers are drop forged from high grade Chrome Vanadium steel and thereafter machined and heat treated in state of the art manufacturing environment. These pliers are designed for optimum hardness at cutting edges and serrations. The cutting edges are so adjusted to cut hard and soft copper as well as steel wires with equal effort. Tip serrations are adjusted fully to ensure firm gripping of thin sheets and fine wires. These pliers are thickly insulated with scientifically designed, easy-to-hold sleeves made out of celluose acetate.

TOOL KITS

Comprising of tools for general use like soldering Iron Microshear, Pliers, Tweezers, Brush holder Extractor, Wire Strippers etc. Placed in attractive carrying bags.

MINI TOOL KIT



MIDI TOOL KIT

Rs.3850.00



FILTER WRENCHES

Unique tools for opening & tightening oil filters in auto mobiles & diesel operated vehicles. Easy to carry, suitable for maintenance work.



Model No.: FW-100

Self adjusting type



Model No.: FW-200

Self adjusting type



Model No.: FW-400

Adjusting type

MULTI PURPOSE TOOLS



Model No.: MT-31

Three Tools in One

A unique tool having three actions, as plier, cutter & stripper with gauge setter. Suitable for electronic maintenance & production as well as general electrical maintenance.



Model No.: CS 41 **New Four Tools in One**

A beautiful combination Multipurpose Tool equipped with cutting Nipper, wire stripper and crimper for non insulated terminals. Made out of High Carbon Alloy Steel, with black oxide finish and heat treated as per international standards. Cutting Nipper can cut precisely wires upto 2.0mm copper and 2.5mm Aluminium conductors. Crimping capacity is from 2mm² to 5.5mm² noninsulated thimbles only. Available in soft uniquely designed cushioned grips for continuous working without any fatigue.



MULTITEG AN ISO 9001 : 2008 COMPANY

Price List/Catalogue 2013-2014

STAINLESS STEEL PRODUCTS



Model No.: 07 SS

Stainless Steel Nipper 115mm. Cut wires from 0.8mm to 1.2mm.



Model No.: 06 SS

Stainless Steel Micro Shear Cut wires from 0.8 to 1.4mm.



Model No.: 010 SS

Stainless Steel Micro Cutter (125mm) cut wires from 0.8 to 1.2mm.



Model No.: Oll SS

Stainless Steel Palm Nipper, suitable for cutting soft copper/aluminium wires upto 1.5mm and best tool for Jewellers.



Model No.: 012 SS

Stainless Steel Heavy Duty Diagonal Nipper with cushioned grips. For cutting Copper & Aluminum conductors up to 2.0 dia. High Carbon Alloy Steel, Edges Induction Hardened for longer life.



Model No.: 015 SS

Stainless Steel Mini Nipper. A unique Palm type mini diagonal Nipper Cutter designed to cut soft copper and aluminium wires upto 1.3 mm dia. cutting edges are Razor sharp and duly polished and grounded for smooth cutting.



Model No.: 03 SS

Stainless Steel Long Nose Plier with/without Teeth.

Rs.275.00



Model No.: 05 SS

Stainless Steel Short Nose Plier with/without Teeth.



Model No.: CC-100 SS

Stainless Steel Cable Cutter with lock for 12 mm cable.



Model No.: CC-200 SS

Stainless Steel Cable Cutter with lock for 10 mm cable.

MISCLAENEOUS TOOLS



Model No.: 04 DX

8" Long with Cushioned Sleeve

Rs.450.00

- Light weight Cutters for general purpose use.
- ➤ Made out of special alloy steel with hardened & tempered cutter blades.
- Comfortable grip and spring action.
- > Suitable for cutting piano wire, soft solid wire, bolts, nails, rivets and screws.
- ➤ Cutting blades hardened to 60 HRC for smooth operation.
- Exceptional cutting action because of long handles
- Cutting capacity from 2.3 mm to 3 mm.



Model No.: ICP-01

I C Puller

A spring assisted chip carrier extraction tool, specially designed for the safe removal of PLCC's from sockets without damage to component parts.



Model No.: CP 41

Two straight (Int.&Ext.) and

two Bent (Int. & Ext.)

Used for automobiles, sports equipment house hold purposes. These are made out of high car bon alloy steel.



Model No.: FC-200

Rs.150.00

Rs.400.00

Flower Cutter

A very handy and efficient tool for cutting flowers. Tool Blade made out of high grade stainless steel to avoid rust on the blades. Cutting edges duly induction hardened and body made out of high grade G.F. Nylon which will never bend or break.




Price List/Catalogue 2013-2014

CRIMPING TOOLS



Insulated Terminal Crimping Tool Capacity: 0.5mm2 to 6.0mm2.



A precision Ratchet tool for crimping red, blue & yellow insulated terminals. Manufactured from high grade alloy steel, the tool has a built-in Ratchet mechanism which ensures the jaws fully close to complete the crimp before the finished termination can be released.



Ferrule Crimping Tool

Capacity: 0.5mm² to 6.0mm².

A precision Ratchet tool for trapezoid crimping of wire ferrule from 0.5mm² to 6.0mm².



Non Insulated Terminal Crimping Tool

Capacity: 1.5mm² to 6.0mm².

A precision heavy duty ratchet tool for crimping non insulated terminals from 1.5mm² to 6.0mm².



D-Sub Terminal Crimping Tool Full Cycle Ratchet Crimping Tool.

Specifications: For Crimping D-SUB & open

Barrel Connectors

AWG: 18-22, 24-30 mm: 2.54, 3.96



A Cam action crimping tool with hexagon die set to crimp F series Plugs. To assemble, just prepare cable termination & fold the braid back. Fit the cable fully into the connector & crimp the ferrule over the braid.

0.100" (2.5mm)

5, 6, 11, 21, 143

0.322" (8.2mm)

Model No.: CT-2.5 P

0.476" (12.1mm)

MT-106F



Non Insulated Terminal Crimping Tool

Non Insulated Terminal Crimping Tool upto 2.5mm² Capacity: 1.25mm² to 2.5mm².





Non Insulated Terminal Crimping Tool

Ratchet type Non Insulated Terminal Crimping Tool upto 6 mm².

Capacity: 0.5mm² to 6.0mm².

Model No.: CT-10F Rs.2000.00

Self Adjusting Ferrule Crimping Tool Capacity: 0.08mm² to 10.0mm².

- · For crimping end sleeves (ferrules) according to DIN 46228 parts 1 + 4 self-adjusting adaptation to the desired end sleeve (ferrule) size: no wrong crimps caused by using the wrong die fits all twinferrules within the application range.
- · Lateral access of the end sleeves (ferrules) into
- · Repetitive, high crimping quality due to integral lock (self-releasing mechanism)
- These tools have been set precisely (calibrated) in the factory
- · Optimum transmission of force thanks to toggle lever for fatigue-reduced operation
- · High operation comfort thanks to handy shape and
- · Chrome vanadium electric steel in special quality, oil-hardened.



Non Insulated Terminal Crimping Tool Ratchet type Non Insulated Terminal Crimping

Capacity: 1.5mm² to 16.0mm².



Hex Crimping Tool with Rotating Dies

Hex Crimping Tool for crimping aluminium & copper lugs with movable & revolving dies.

Capacity: 6.0 mm² to 70 mm².



Die Less Crimping Tool

A tool manufactured from ductile iron with special tool steel jaws and a dropforged chromemolybenum pivotted handle. The tool can crimp cable lugs from 10mm2 to 120mm2 with non ratchet screw adjustment, suitable to crimp aluminium & copper tube terminals.


Model No.: CT-150 P



Die Less Crimping Tool

Die Less Crimping Tool for Non Insulated Terminal. A tool manufactured from ductile iron with special tool steel jaws and a dropforged chromemolybenum pivotted handle. The tool can crimp cable lugs from 10mm² to 150mm² with non ratchet screw adjustment, suitable to crimp aluminium & copper tube terminals.

Capacity: 10 mm² to 150 mm².



- Trade discounts are available on bulk orders. All Govt. Levies such as CST/IST, Excise or any other charges payable extra.

- All down Levies such as GS/Ind., Exclose of any other charges payable exita.
 Freight, forwarding & packing charges will be extra.
 Delivery: within 30-45 days from the date of receipt of order.
 Payment: cash against delivery or demand draft in advance.
 All products are guaranteed for six months against any manufacturing defects.
 The company reserves all rights to amend the prices and specifications without



MULTITEC

Description: Torx Head/Torx Plus Screw Drivers





| Model No. | Tip Width | Shank Size | Handle Dimensions | Projected Length of Bit | MRP (₹) |
|--------------|--------------|---------------|----------------------|-------------------------------|------------|
| T5075 | T 5 | 3 mm Hex | L=75mm; W=16mm | 75 mm | 66.00 |
| T5150 | T 5 | 3 mm Hex | L=75mm; W=16mm | 150 mm | 70.50 |
| T6075 | T 6 | 3 mm Hex | L=75mm; W=16mm | 75 mm | 66.00 |
| T6150 | T 6 | 3 mm Hex | L=75mm; W=16mm | 150 mm | 70.50 |
| T7075 | T 7 | 3 mm Hex | L=75mm; W=16mm | 75 mm | 66.00 |
| T7150 | T 7 | 3 mm Hex | L=75mm; W=16mm | 150 mm | 70.50 |
| T8075 | T 8 | 3 mm Hex | L=75mm; W=16mm | 75 mm | 66.00 |
| T8150 | T 8 | 3 mm Hex | L=75mm; W=16mm | 150 mm | 70.50 |
| T9075 | T 9 | 3 mm Hex | L=75mm; W=16mm | 75 mm | 66.00 |
| T9150 | T 9 | 3 mm Hex | L=75mm; W=16mm | 150 mm | 70.50 |
| T1075 | T 10 | 3 mm Hex | L=75mm; W=16mm | 75 mm | 66.00 |
| T10150 | T 10 | 3 mm Hex | L=75mm; W=16mm | 150 mm | 70.50 |
| T1575 | T 15 | 4 mm Hex | L=82mm; W=18.5mm | 75 mm | 75.00 |
| T15150 | T 15 | 4 mm Hex | L=82mm; W=18.5mm | 150 mm | 81.50 |
| T20100 | T 20 | 5 mm Hex | L=95mm; W=22mm | 100 mm | 90.00 |
| T20200 | T 20 | 5 mm Hex | L=95mm; W=22mm | 200 mm | 97.00 |
| T25100 | T 25 | 5 mm Hex | L=95mm; W=22mm | 100 mm | 90.00 |
| T25200 | T 25 | 5 mm Hex | L=95mm; W=22mm | 200 mm | 97.00 |
| T27100 | T 27 | 5 mm Hex | L=95mm; W=22mm | 100 mm | 90.00 |
| T27200 | T 27 | 5 mm Hex | L=95mm; W=22mm | 200 mm | 97.00 |
| T30100 | T 30 | 6 mm Hex | L=95mm; W=25mm | 100 mm | 101.00 |
| T30200 | Ţ 30 | 6 mm Hex | L=95mm; W=25mm | 200 mm | 106.00 |
| T40100 | T 40 | 8 mm Hex | L=95mm; W=25mm | 100 mm | 152.00 |
| T40200 | T 40 | 8 mm Hex | L=95mm; W=25mm | 200 mm | 167.00 |
| T45250 | T 45 | 8 mm Hex | L=102mm; W=30mm | 250 mm | 176.00 |
| T50250 | T 50 | 8 mm Hex | L=102mm; W=30mm | 250 mm | 176.00 |

LINER TESTER:



| Model | Tip | Voltage Detection Range | MRP |
|--------|------------|-------------------------|-------|
| No. | Size | | (₹) |
| MT-100 | 3 X 0.5 mm | 0-500 Volt | 48.00 |


Delars

Multitec Industries Ltd.

Plot No. 120, Palam - Gurgaon Road, Kapashera, Near DESU Office, New Delhi -37

E-mail: multitecindustriesltd@yahoo.com Customer Care No. 0124 4001591

Description: 2 in 1 Reversible Screw Driver with Hexagon Rod and Extra Hard Tips



| Model No. | Tip Size | Shank Size | Projected Length of Bit | MRP (₹) |
|--------------|-------------|---------------|----------------------------|------------|
| HR 6100 | PH-2/S-6 | Hexagon 6mm | 100 mm | 92.00 |
| HR 6150 | PH-2/S-6 | Hexagon 6mm | 150 mm | 104.00 |
| HR 6200 | PH-2/S-6 | Hexagon 6mm | 200 mm | 116.00 |
| HR 6250 | PH-2/S-6 | Hexagon 6mm | 250 mm | 136.00 |

Features: •2 in 1 Screw Driver one side Phillip No.2; other side Minus 6. · Screw Driver bit made of high grade Alloy Steel, hardened for long working life. • Hexagon Shaft Screw Driver bit for turning with a spanner, to open extra tight screws. • Available in projected lengths of 100mm 150mm, 200mm and 250mm.

Description: 2 in 1 Reversible Stubby

Screw Driver

Model No. : STB - 110



₹64/- per set

Features:

 2 in 1 Screw driver one side minus other side Phillips No.2.
 Screw driver bit made of high grade alloy steel, hardened for long life. STUBBY short screw driver handle made of transparent engineering plastic for strength & rigidity. • Quick charge metallic collet embedded within handle for first and easy reversing of screw driver bit.

Terms & Conditions:

- 1. The price list/catalogue is effective from 10th October, 2013.
- 2. Prices are on F.O.R. Destination basis.
- 3. Prices are maximum retail price inclusive of all taxes.
- 4. The company reserves its right to change the prices and specification of the products without prior notice.
- 5. All the dispatches w.e.f. shall be in accordance with price list.

Visit us: www.multitectool.com